


# Technical Information

## Housing Data & Target Storage Capacity



### Housing Data

Housing	Weight/lbs	Weight/Kg
B-100	41.1 lbs	18.7 Kg
B-112	23.0 lbs	10.5 Kg
B-130	44.5 lbs	20.23 Kg
B-145A	31.0 lbs	14.0 Kg
B-150	42.5 lbs	19.3 Kg
B-160	53.0 lbs	24.1 Kg
B-180	69.3 lbs	31.5 Kg
B-190	102.0 lbs *	46.3 Kg
B-192	123.0 lbs *	55.8 Kg
B-197	130.0 lbs *	59.0 Kg
B-205	158.0 lbs *	72.0 Kg
B-225	78.0 lbs	35.5 Kg
B-240	73.0 lbs	33.0 Kg
B-242	78.3 lbs	35.5 Kg
B-250	103.0 lbs	47.0 Kg
B-280	88.0 lbs	40.0 Kg
B-282	88.0 lbs	40.0 Kg
CGR 240/260	65.0 lbs	29.5 Kg
CGR 550	90.0 lbs	41.0 Kg
CGR 610	105 lbs	48.0 Kg
CGR M151	45.0 lbs	20.5 Kg
Diamond	37.4 lbs	17.0 Kg
Emerald	37.4 lbs	17.0 Kg
GE Jupiter	172.0 lbs *	78.0 Kg
GE Mini Venus	168.0 lbs *	75.6 Kg
GE MX75	55.0 lbs	25.0 Kg
GE MX100	75.0 lbs	34.0 Kg
ORIII	43.4 lbs	19.7 Kg
Philips ROT 350	68.0 lbs	31.0 Kg
Sapphire	41.6 lbs	18.9 Kg
Siemens OPTI 150	75.0 lbs	34.0 Kg



CONVERSION CHART – HEAT UNITS TO JOULES  
1.0 JOULES = 1.35 HEAT UNITS

\* Weight includes housing, insert and oil.

\* Does not include HE weight.